

Wheel Alignment Equipment



BOSCH

Invented for life



WA 2600-8R Cordless Aligner



- ▶ Open off the shelf architecture design allows for user enhancements and standard Windows XP Pro functional software
- ▶ Eight camera CCD technology provides instantaneous 360° reading to ensure accuracy. Drop down front spoiler program automatically reads toe arches back when front sensors are blocked
- ▶ On-screen support and clear instructions from beginning to end
- ▶ Three system routines increase the efficiency of the measuring process
- ▶ Live readings display with a comparison of target vs. actual measurements
- ▶ Wheel run-out not required on most wheels with standard multi clamps
- ▶ Sensors can effortlessly be calibrated by the user – calibration bar is included

Specifications

Dimensions (H x D x W) including 19" color monitor	38.5" x 31.5" x 63"
Power Supply	100-115V AC
Standard Clamping Capacity	10"-23" (up to 26" opt.)
Wheel Base	up to 34"



Standard zero induced run-out multi clamp fits 10"–23" rims without scratching. Accurate measurements are provided on most wheels by eliminating jacking or rolling compensation.

WA 2600-6C Corded Aligner



- ▶ CCD technology offers superior accuracy and repeatability
- ▶ Quick Clamp wheel clamps provide consistently fast and accurate wheel alignments
- ▶ Exceptional graphics displays and compares actual reference data
- ▶ Vehicle-specific help screens pin-point adjustment locations
- ▶ Color printer included for professional customer presentations and shop records

Specifications

Dimensions (H x D x W) including 19" color monitor	59.84" x 30.31" x 34.65"
Power Supply	100-115 V AC/10A
Standard Clamping Capacity	10"-20" (up to 26" optional)
Wheel Base	up to 34"



Standard zero induced run-out Quick Clamp. Accurate measurements are provided on most wheels by eliminating jacking or rolling compensation.

WA 5200-8HDR Truck Aligner – Radio



- ▶ Standard OEM measuring routines for buses, trucks, dollies, single and dual-steer axle vehicles
- ▶ Zero induced run-out clamps to eliminate jacking each wheel-end for run-out compensation
- ▶ Increased efficiency of alignment set-up for technicians
- ▶ Improved fuel mileage and tire savings for vehicle owners

Specifications

Dimensions (H x D x W) including 19" color monitor	38.5" x 31.5" x 63"
Power Supply	100-115V AC
Wheel Base	up to 59'



Standard zero run-out clamps eliminate the need to lift axles to perform run-out compensation measurements.

Aligner Accessories

850001633	Spoiler Adapter, 50mm, two required per axle (price each)
22-0011	Sterling Wheel Holder
860000883	Mercedes Toe Spreader Bar
932121088	Spoiler Adapter, 100mm, two required per axle (price each)
932301050	Quick Clamp, Zero "Induced" Runout, 10"-20" rims (price each)
932399212	Dual Wheel Adapter Extension (each), 6 required front axle (price each)
932401029	Calibration Kit (bar and stand)
932401098	Electronic Turnplates, 2K Lb. capacity (pair) 450x450x50mm (price each)
932401111	Multi Quick Clamp, Zero "Induced" Runout, 13"-23" (price each)
932401126	Set of 5 Spacing Pins for MB and BMW used with Multi-Clamp (1 set needed per clamp)
932403161	Lip Less Adapters 30° (12 pieces) only usable for Quick/Multi Clamp <2001
932402070	Standard Lip Less Adapters (set of 12)
932402068	Clamp Extension Set, Clamps 18"-26" diameter (12 piece set) Quick/Multi Clamp
932401181	HD Truck Quick Clamps (USA) Zero Runout (set of 4)
933015162	Spacer Sleeve Short for Truck Clamps (3 needed per clamp, price each)
933011005	HD Truck Turnplate +/- 60° scale (price each)
932502024	Trailer Alignment Cross Piece
932403060	Calibration Bar Needed for Trailer Cross Piece (bar only no stand)
932503076	Trailer Draw Bar Adapter
933011023	Spoiler Adapters Truck Precision 240mm (price each) four need for alignment
22-00112	Turnplates-Steel with Turning Angle Pointer, 3K Lb. capacity (pair)

Make Bosch Your Single Source



Bosch offers a complete line of both high quality wheel service equipment, and state-of-the-art diagnostic and test equipment, as well as all the necessary software. These professional and precise undercar and underhood products are designed to help keep your repair shop operating at peak efficiency, helping you to maximize your profitability. For more information, please visit www.boschdiagnostics.com , or call **1-800-321-4889**, ext. 4, then select option 4.

Wheel Service Equipment

- ▶ Brake Lathes
- ▶ Tire Changers
- ▶ Wheel Aligners
- ▶ Wheel Balancers
- ▶ Nitrogen Tire Filling System

Diagnostic Test Equipment

- ▶ Scan Tools
- ▶ J2534 Reprogrammers
- ▶ Battery Test Modules
- ▶ Engine Analyzers/Scopes/Meters
- ▶ A/C Refrigerant Handling System
- ▶ Noise Vibration Harshness Analyzer



BOSCH

Invented for life

Robert Bosch LLC
11126 Air Park Road
Ashland, VA 23005

www.boschdiagnostics.com

**For Customer Support
Call 800-551-2228**

BOSCH is a trademark licensed by Robert Bosch GmbH and/or its affiliated entities.
© 2009 Robert Bosch LLC, USA. All rights reserved.